ELSEVIER

Brain Research 792 (1998) 371–373

BRAIN RESEARCH

Author Index

Abudara, V. and Eyzaguirre, C.
Modulation of junctional conductance between rat carotid body glomus cells by hypoxia, cAMP and acidity (792) 114
Adachi, A., Nogi, T. and Ebihara, S.
Phase-relationship and mutual effects between circadian rhythms of ocular melatonin and dopamine in the pigeon (792) 361
Adachi, N., see Chen, J. (792) 16
Adam, C., see Le Van Quyen, M. (792) 24
Ahmed, F., see Chaudhary, P. (792) 154
Akaike, A., see Kihara, T. (792) 331
Akaike, N., see Wang, D.-S. (792) 41
Akiguchi, I., see Wakita, H. (792) 105
Andersen, O.K., see Mohammadian, P. (792) 1
Aoki, C., Nakanishi, T., Sogawa, N., Ishii, K., Ogawa, N., Takigawa, M. and Furuta, H.
Stimulatory effects of 4-methylcatechol, dopamine and levodopa on the expression of metallothionein-III (GIF) mRNA in immortalized mouse brain glial cells (VR-2g) (792) 335
Arai, T., see Chen, J. (792) 16
Arendt-Nielsen, L., see Mohammadian, P. (792) 1
Artaud, F., see L'hirondel, M. (792) 253

Baldessarini, R.J., see Yeghiayan, S.K. (792) 324
Baulac, M., see Le Van Quyen, M. (792) 24
Beach, T.G., see Walker, D.G. (792) 207
Beck, K.D., see Walker, D.G. (792) 207
Becker, L.E., see Man, H.-Y. (792) 141
Bender, M.A., see Kang, W. (792) 133
Biggs, C.S., see Fisher, A. (792) 126
Billington, C.J., see Giraudo, S.Q. (792) 136
Black, K.L., see Matsukado, K. (792) 10
Borrelli, E., see L'hirondel, M. (792) 253
Bouhassira, D., see Gozariu, M. (792) 168
Broberger, C., see Cheng, X. (792) 89

Casto, R.M., see VanNess, J.M. (792) 237
Chaudhary, P., Ahmed, F. and Sharma, S.C.
MK801—a neuroprotectant in rat hypertensive eyes (792) 154
Chen, J., Adachi, N., Liu, K., Nagaro, T. and Arai, T.
Improvement of ischemic damage in gerbil hippocampal neurons by procaine (792) 16
Cheng, X., Broberger, C., Tong, Y., Yongtao, X., Ju, G., Zhang, X. and Hökfelt, T.
Regulation of expression of neuropeptide Y Y1 and Y2 receptors in the arcuate nucleus of fasted rats (792) 89
Chéramy, A., see L'hirondel, M. (792) 253
Cusack, B., see Tyler, B.M. (792) 246

De Juan, J. and García, M.
Interocular effect of actin depolymerization on spinule formation in teleost retina (792) 173
DeMaria, J.E., see VanNess, J.M. (792) 237
De Vente, J., see Van Muiswinkel, F.L. (792) 48
Ding, Y.-Q., Li, J.-L., Lü, B.-Z., Wang, D., Zhang, M.-L. and Li, J.-S.
Co-localization of μ-opioid receptor-like immunoreactivity with substance P-LI, calcitonin gene-related peptide-LI and nitric oxide synthase-LI in vagal and glossopharyngeal afferent neurons of the rat (792) 149
Douglas, C.L., see Tyler, B.M. (792) 246
Drukarch, B., see Van Muiswinkel, F.L. (792) 48

Ebihara, S., see Adachi, A. (792) 361
Ebner, K., see Engelmann, M. (792) 343
Engelmann, M., Ebner, K., Landgraf, R. and Wotjak, C.T.
Swim stress triggers the release of vasopressin within the suprachiasmatic nucleus of male rats (792) 343
Erclik, T., see Man, H.-Y. (792) 141
Erdtmann-Vourliotis, M., Riechert, U., Mayer, P., Grecksch, G. and Höllt, V.
Pentylenetetrazole (PTZ)-induced c-fos expression in the hippocampus of kindled rats is suppressed by concomitant treatment with naloxone (792) 299
Eyzaguirre, C., see Abudara, V. (792) 114

Farkas, E., Jansen, A.S.P. and Loewy, A.D.
Periaqueductal gray matter input to cardiac-related sympathetic premotor neurons (792) 179
Fisher, A., Biggs, C.S. and Starr, M.S.
Differential effects of NMDA and non-NMDA antagonists on the activity of aromatic L-amino acid decarboxylase activity in the nigrostriatal dopamine pathway of the rat (792) 126
Fueta, Y., Ohno, K. and Mita, T.
Large frequency potentiation induced by 2 Hz stimulation in the hippocampus of epileptic El mice (792) 79
Fugleholm, K., Sørensen, J., Schmalbruch, H. and Krarup, C.
Axonal elongation through acellular nerve segments of the cat tibial nerve: importance of the near-nerve environment (792) 309
Fukuchi, T., Katayama, Y., Kamiya, T., McKee, A., Kashiwagi, F. and Terashi, A.
The effect of duration of cerebral ischemia on brain pyruvate dehydrogenase activity, energy metabolites, and blood flow during reperfusion in gerbil brain (792) 59
Furuta, H., see Aoki, C. (792) 335

García, M., see De Juan, J. (792) 173
Giraudo, S.Q., Kim, E.-M., Grace, M.K., Billington, C.J. and Levine, A.S.
Effect of peripheral 2-DG on opioid and neuropeptide Y gene expression (792) 136
Glorioso, J.C., see Kang, W. (792) 133
Glowinski, J., see L'hirondel, M. (792) 253
Godeheu, G., see L'hirondel, M. (792) 253
Goel, N., Lee, T.M. and Pieper, D.R.
Removal of the olfactory bulbs delays photic reentrainment of circadian activity rhythms and modifies the reproductive axis in male *Octodon degus* (792) 229
Gongwer, M.A., see Yeghiayan, S.K. (792) 324
Gozariu, M., Bouhassira, D., Willer, J.-C. and Le Bars, D.
The influence of temporal summation on a C-fibre reflex in the rat: effects of lesions in the rostral ventromedial medulla (RVM) (792) 168
Grace, M.K., see Giraudo, S.Q. (792) 136
Grecksch, G., see Erdtmann-Vourliotis, M. (792) 299

Harlow, H., see Perryman, W.C. (792) 340
Helman, L.J., see Zhan, S. (792) 283
Hökfelt, T., see Cheng, X. (792) 89
Höllt, V., see Erdtmann-Vourliotis, M. (792) 299
Holsboer, F., see Montkowski, A. (792) 358

Ikeda, S. and Nakagawa, S.
Spinal cord transection induced c-Fos protein in the rat motor cortex (792) 164
Inoue, T., Mashimo, T., Shibata, M., Shibuta, S. and Yoshiya, I.
Rapid development of nitric oxide-induced hyperalgesia depends on an alternate to the cGMP-mediated pathway in the rat neuropathic pain model (792) 263
Ishii, K., see Aoki, C. (792) 335

Jahn, H., see Montkowski, A. (792) 358
Jansen, A.S.P., see Farkas, E. (792) 179

Jiang, D., see Zhou, W. (792) 97
Ju, G., see Cheng, X. (792) 89

Kamiya, T., see Fukuchi, T. (792) 59
Kang, W., Wilson, M.A., Bender, M.A., Glorioso, J.C. and Wilson, S.P.
Herpes virus-mediated preproenkephalin gene transfer to the amygdala is antinociceptive (792) 133
Kasai, T., Kawanishi, M. and Yahagi, S.
Posture-dependent modulation of reciprocal inhibition upon initiation of ankle dorsiflexion in man (792) 159
Kashiwagi, F., see Fukuchi, T. (792) 59
Katayama, Y., see Fukuchi, T. (792) 59
Kawanishi, M., see Kasai, T. (792) 159
Kihara, T., Shimohama, S., Urushitani, M., Sawada, H., Kimura, J., Kume, T., Maeda, T. and Akaike, A.
Stimulation of $\alpha 4\beta 2$ nicotinic acetylcholine receptors inhibits β-amyloid toxicity (792) 331
Kim, E.-M., see Giraudo, S.Q. (792) 136
Kim, S.-C., see Mogil, J.S. (792) 218
Kimura, J., see Kihara, T. (792) 331
Kimura, J., see Wakita, H. (792) 105
Krarup, C., see Fugleholm, K. (792) 309
Kula, N.S., see Yeghiayan, S.K. (792) 324
Kume, T., see Kihara, T. (792) 331

Landgraf, R., see Engelmann, M. (792) 343
Le Bars, D., see Gozariu, M. (792) 168
Lee, T.M., see Goel, N. (792) 229
Le Van Quyen, M., Adam, C., Baulac, M., Martinerie, J. and Varela, F.J.
Nonlinear interdependencies of EEG signals in human intracranially recorded temporal lobe seizures (792) 24
Leventhal, L., see Rossi, G.C. (792) 327
Levine, A.S., see Giraudo, S.Q. (792) 136
L'hirondel, M., Chéramy, A., Godeheu, G., Artaud, F., Saiardi, A., Borrelli, E. and Glowinski, J.
Lack of autoreceptor-mediated inhibitory control of dopamine release in striatal synaptosomes of D2 receptor-deficient mice (792) 253
Li, J.-L., see Ding, Y.-Q. (792) 149
Li, J.-S., see Ding, Y.-Q. (792) 149
Li, J.-S., see Wang, D.-S. (792) 41
Li, S., see Wang, H. (792) 66
Lile, J., see Walker, D.G. (792) 207
Liu, K., see Chen, J. (792) 16
Loewy, A.D., see Farkas, E. (792) 179
Lü, B.-Z., see Ding, Y.-Q. (792) 149

Maeda, T., see Kihara, T. (792) 331
Man, H.-Y., Erclik, T., Becker, L.E. and Wang, Y.T.
Modulation of baroreflex sensitivity by the state of protein tyrosine phosphorylation in the brainstem of the rat (792) 141
Martinerie, J., see Le Van Quyen, M. (792) 24
Marzella, S.R., see Numan, M. (792) 348
Mashimo, T., see Inoue, T. (792) 263
Matsukado, K., Sugita, M. and Black, K.L.
Intracarotid low dose bradykinin infusion selectively increases tumor permeability through activation of bradykinin B2 receptors in malignant gliomas (792) 10
Mayer, P., see Erdtmann-Vourliotis, M. (792) 299
Mayhan, W.G.
Effect of lipopolysaccharide on the permeability and reactivity of the cerebral microcirculation: role of inducible nitric oxide synthase (792) 353
McCleskey, E.W., see Mogil, J.S. (792) 218
McGeer, E.G., see Walker, D.G. (792) 207
McGeer, P.L., see Walker, D.G. (792) 207
McIntosh, T.K., see Okiyama, K. (792) 291
McKee, A., see Fukuchi, T. (792) 59
McLaughlin, P.J., see Zagon, I.S. (792) 72
Mendelowitz, D., see Neff, R.A. (792) 277
Mihalevich, M., see Neff, R.A. (792) 277
Mita, T., see Fueta, Y. (792) 79
Mitrovic, I. and Napier, T.C.
Substance P attenuates and DAMGO potentiates amygdala glutamatergic neurotransmission within the ventral pallidum (792) 193
Mogil, J.S., Shin, Y.-H., McCleskey, E.W., Kim, S.-C. and Nah, S.-Y.
Ginsenoside Rf, a trace component of ginseng root, produces antinociception in mice (792) 218
Mohammadian, P., Andersen, O.K. and Arendt-Nielsen, L.
Correlation between local vascular and sensory changes following tissue inflammation induced by repetitive application of topical capsaicin (792) 1
Montkowski, A., Jahn, H., Ströhle, A., Poettig, M., Holsboer, F. and Wiedemann, K.
C-type natriuretic peptide exerts effects opposing those of atrial natriuretic peptide on anxiety-related behaviour in rats (792) 358

Nagaro, T., see Chen, J. (792) 16
Nah, S.-Y., see Mogil, J.S. (792) 218
Nakagawa, S., see Ikeda, S. (792) 164
Nakanishi, T., see Aoki, C. (792) 335
Napier, T.C., see Mitrovic, I. (792) 193
Neff, R.A., Mihalevich, M. and Mendelowitz, D.
Stimulation of NTS activates NMDA and non-NMDA receptors in rat cardiac vagal neurons in the nucleus ambiguus (792) 277
Neumeyer, J.L., see Yeghiayan, S.K. (792) 324
Nogi, T., see Adachi, A. (792) 361
Numan, M., Numan, M.J., Marzella, S.R. and Palumbo, A.
Expression of c-*fos*, *fos B*, and *egr-1* in the medial preoptic area and bed nucleus of the stria terminalis during maternal behavior in rats (792) 348
Numan, M.J., see Numan, M. (792) 348

Ogawa, N., see Aoki, C. (792) 335
Ohno, K., see Fueta, Y. (792) 79
Okiyama, K., Smith, D.H., White, W.F. and McIntosh, T.K.
Effects of the NMDA antagonist CP-98,113 on regional cerebral edema and cardiovascular, cognitive, and neurobehavioral function following experimental brain injury in the rat (792) 291
Overton, J.M., see VanNess, J.M. (792) 237

Palumbo, A., see Numan, M. (792) 348
Pang, Z.-P., see Wang, D.-S. (792) 41
Pasternak, G.W., see Rossi, G.C. (792) 327
Pelletier, G., see Wang, H. (792) 66
Perlmutter, M., see Rossi, G.C. (792) 327
Perryman, W.C. and Harlow, H.
Vasopressin location and relative quantification within the vampire bat (*Desmodus rotundas*) brain (792) 340
Pieper, D.R., see Goel, N. (792) 229
Poettig, M., see Montkowski, A. (792) 358

Raisman, G., see Zhou, W. (792) 97
Richelson, E., see Tyler, B.M. (792) 246
Riechert, U., see Erdtmann-Vourliotis, M. (792) 299
Roselli, C.E.
The effect of anabolic–androgenic steroids on aromatase activity and androgen receptor binding in the rat preoptic area (792) 271
Rossi, G.C., Perlmutter, M., Leventhal, L., Talatti, A. and Pasternak, G.W.
Orphanin FQ/nociceptin analgesia in the rat (792) 327

Saiardi, A., see L'hirondel, M. (792) 253
Sassani, J.W., see Zagon, I.S. (792) 72
Sawada, H., see Kihara, T. (792) 331
Schmalbruch, H., see Fugleholm, K. (792) 309
Sharma, S.C., see Chaudhary, P. (792) 154
Shibata, M., see Inoue, T. (792) 263
Shibuta, S., see Inoue, T. (792) 263
Shimohama, S., see Kihara, T. (792) 331
Shin, Y.-H., see Mogil, J.S. (792) 218
Smith, D.H., see Okiyama, K. (792) 291
Sogawa, N., see Aoki, C. (792) 335
Sørensen, J., see Fugleholm, K. (792) 309
Souder, T., see Tyler, B.M. (792) 246
Starr, M.S., see Fisher, A. (792) 126
Steinbusch, H.W.M., see Van Muiswinkel, F.L. (792) 48
Ströhle, A., see Montkowski, A. (792) 358
Sugita, M., see Matsukado, K. (792) 10

Takigawa, M., see Aoki, C. (792) 335
Talatti, A., see Rossi, G.C. (792) 327
Terashi, A., see Fukuchi, T. (792) 59
Tomimoto, H., see Wakita, H. (792) 105
Tong, Y., see Cheng, X. (792) 89
Tyler, B.M., Cusack, B., Douglas, C.L., Souder, T. and Richelson, E.
Evidence for additional neurotensin receptor subtypes: neurotensin analogs that distinguish between neurotensin-mediated hypothermia and antinociception (792) 246

Urushitani, M., see Kihara, T. (792) 331

Van, M., see Zhan, S. (792) 283
Van Muiswinkel, F.L., Drukarch, B., Steinbusch, H.W.M. and De Vente, J.
Sustained pharmacological inhibition of nitric oxide synthase does not affect the sur-

vival of intrastriatal rat fetal mesencephalic transplants (792) 48
VanNess, J.M., Casto, R.M., DeMaria, J.E. and Overton, J.M.
Food restriction attenuates the blood pressure response to paraventricular hypothalamic nuclei lesions in aortic coarctation hypertension (792) 237
Varela, F.J., see Le Van Quyen, M. (792) 24

Wakita, H., Tomimoto, H., Akiguchi, I. and Kimura, J.
Dose-dependent, protective effect of FK506 against white matter changes in the rat brain after chronic cerebral ischemia (792) 105
Walker, D.G., Beach, T.G., Xu, R., Lile, J., Beck, K.D., McGeer, E.G. and McGeer, P.L.
Expression of the proto-oncogene Ret, a component of the GDNF receptor complex, persists in human substantia nigra neurons in Parkinson's disease (792) 207
Wang, D., see Ding, Y.-Q. (792) 149
Wang, D.-S., Xu, T.-L., Pang, Z.-P., Li, J.-S. and Akaike, N.
Taurine-activated chloride currents in the rat sacral dorsal commissural neurons (792) 41
Wang, H., Li, S. and Pelletier, G.
Role of nitric oxide in the regulation of gonadotropin-releasing hormone and tyrosine hydroxylase gene expression in the male rat brain (792) 66
Wang, Y.T., see Man, H.-Y. (792) 141
White, W.F., see Okiyama, K. (792) 291
Wiedemann, K., see Montkowski, A. (792) 358
Willer, J.-C., see Gozariu, M. (792) 168
Wilson, M.A., see Kang, W. (792) 133
Wilson, S.P., see Kang, W. (792) 133
Wotjak, C.T., see Engelmann, M. (792) 343
Wu, Y., see Zagon, I.S. (792) 72

Xu, R., see Walker, D.G. (792) 207
Xu, T.-L., see Wang, D.-S. (792) 41

Yahagi, S., see Kasai, T. (792) 159
Yang, X.-L., see Zhang, D.-Q. (792) 319
Yeghiayan, S.K., Gongwer, M.A., Baldessarini, R.J., Kula, N.S., Zong, R. and Neumeyer, J.L.
Local injection of alkylating and nonalkylating dopamine receptor antagonists into rat basal forebrain: autoradiographic assessment of D_2-like and D_3 sites (792) 324
Yongtao, X., see Cheng, X. (792) 89
Yoshiya, I., see Inoue, T. (792) 263
Young, C., see Zhan, S. (792) 283

Zagon, I.S., Sassani, J.W., Wu, Y. and McLaughlin, P.J.
The autocrine derivation of the opioid growth factor, [Met^5]-enkephalin, in ocular surface epithelium (792) 72
Zhan, S., Zhan, S., Zhang, L., Van, M., Young, C. and Helman, L.J.
Biallelic expression of all four IGF-II promoters and its association with increased methylation of *H19* gene in human brain (792) 283
Zhan, S., see Zhan, S. (792) 283
Zhang, D.-Q. and Yang, X.-L.
GABA modulates color-opponent bipolar cells in carp retina (792) 319
Zhang, L., see Zhan, S. (792) 283
Zhang, M.-L., see Ding, Y.-Q. (792) 149
Zhang, X., see Cheng, X. (792) 89
Zhou, C., see Zhou, W. (792) 97
Zhou, W., Jiang, D., Raisman, G. and Zhou, C.
Embryonic entorhinal transplants partially ameliorate the deficits in spatial memory in adult rats with entorhinal cortex lesions (792) 97
Zong, R., see Yeghiayan, S.K. (792) 324